

HEALTH AND SAFETY RISK ASSESSMENT

PROPERTY	Christ Church Purley	LOCATION	Brighton Road (between 861 & 863), Purley, Surrey. CR8 2BN			
MINISTRY AREA	All	ASSESSMENT DONE BY	Tom Griffiths		DATE	11 September 2020
ACTIVITY		Church centre use as affected by Covid-19				
GROUPS AT RISK		Staff, volunteers, congregations, and hirers		REVIEW DATE Jar		Jan 2021

Hazard and Risks	Control measures introduced June-Sept 2020	Risk Level (High, Medium, Low)	Further precautions $\sqrt{/x}$ (If $$ See Action)
Staff may catch COVID while at work	A range of protective measures has been put into effect, based on Government and C of E guidance.		\checkmark
	The Church Office will update and re-issue the measures, as recommended by Government and Church authorities. See attached list "Checklist of preparations" version 1	High	
Church congregation and volunteers may catch COVID while at Church	A range of protective measures has been put into effect, based on Government and C of E guidance. The Church Office will update and re-issue the measures, as recommended by Government and Church authorities. See attached list "Checklist of preparations" version 1 See attached Checklist of preparations for sound recording	High	\checkmark



Hazard and Risks	Control measures introduced June-Sept 2020	Risk Level (High, Medium, Low)	Further precautions \sqrt{x} (If $\sqrt{\text{See Action}})$
Arising from the Church Centre being out of use for an extended period	Church Centre to be inspected at regular intervals: Integrity of doors and windows Condition of churchyard Full interior inspection, including plumbing, heating and water heating. Church centre was inspected and aired before re-opening. Normal routine maintenance contracts carried out. See attached list version "premises check version 1"	Medium	\checkmark
Arising from the control measures: fire doors being left open	It is considered that the fire risk is lower than the COVID transmission risk	Low	Х
Arising from the activities of hirers	Hirers are obliged to carry out their own risk assessments and submit them in advance to the Office.A hirer or their visitors may endanger others. Generally, this is addressed by asking them to maintain control of their activities, and by information of our control measures being prominently posted around the Church Centre.	Medium	\checkmark
COVID infection reported by staff or hirers	Hirers may fail to capture attendance/ test-and-trace information Church centre to be immediately closed for 72 hours	High	



Hazard and Risks	Existing Control Measures	Risk Level (High, Medium, Low)	Further precautions \sqrt{x} (If $$ See Action)
Fire, evacuation, and all normal risks	Covered by existing risk assessments	Medium	X



ACTION PLAN (Additional Control Measures Required/Recommended Actions)		
Hazards And Risks	Recommended Actions	
Staff COVID safety	Office to publish and distribute lists of actions taken	
Congregation and volunteer COVID safety	Office to publish and distribute lists of actions taken	
Preparation of premises	Office to maintain records of inspections and preparations.	
Hirer risk assessments	Office to keep full files of Risk Assessments, and also attendance/ contact lists	

Please note:

Following an assessment if no further actions are assessed to be required please mark an **X** in the "Further Actions" box. If, however, additional controls or actions are assessed to be required place a $\sqrt{}$ in the box and note the action plan.

Any further actions identified should be completed before the assessed task/event is carried out.